

Important Farmlands
North Carolina

Map Unit Name	Farmland Classification
Acredale silt loam, 0 to 2 percent slopes, rarely flooded	Prime farmland if drained
Alamance silt loam, 2 to 6 percent slopes (Callison)	All areas are prime farmland
Alamance variant gravelly loam, 2 to 8 percent slopes	All areas are prime farmland
Alamance variant gravelly loam, 8 to 15 percent slopes	Farmland of statewide importance
Altavista fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
Altavista fine sandy loam, 0 to 2 percent slopes (Dogue)	All areas are prime farmland
Altavista fine sandy loam, 0 to 2 percent slopes, occasionally flooded	All areas are prime farmland
Altavista fine sandy loam, 0 to 3 percent slopes	All areas are prime farmland
Altavista fine sandy loam, 0 to 4 percent slopes	All areas are prime farmland
Altavista fine sandy loam, 1 to 6 percent slopes	All areas are prime farmland
Altavista fine sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Altavista fine sandy loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Altavista fine sandy loam, 2 to 7 percent slopes	All areas are prime farmland
Altavista fine sandy loam, 2 to 7 percent slopes (Dogue)	All areas are prime farmland
Altavista fine sandy loam, 7 to 10 percent slopes (Dogue)	All areas are prime farmland
Altavista fine sandy loam, clayey variant (Dogue)	All areas are prime farmland
Altavista loam, 0 to 3 percent slopes, rarely flooded	All areas are prime farmland
Altavista loamy fine sand, 0 to 2 percent slopes	All areas are prime farmland
Altavista sandy loam, 0 to 2 percent slopes, rarely flooded	All areas are prime farmland
Altavista sandy loam, 0 to 3 percent slopes, rarely flooded	All areas are prime farmland
Altavista sandy loam, 0 to 4 percent slopes	All areas are prime farmland
Altavista sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Altavista silt loam, 0 to 2 percent slopes	All areas are prime farmland
Altavista silt loam, 2 to 6 percent slopes	All areas are prime farmland
Altavista-Urban land complex, 0 to 3 percent slopes, rarely flooded	Farmland of statewide importance
Appling coarse sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Appling coarse sandy loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Appling fine sandy loam, 10 to 14 percent slopes (Wedowee)	Farmland of statewide importance
Appling fine sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Appling fine sandy loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Appling fine sandy loam, 2 to 7 percent slopes	All areas are prime farmland
Appling fine sandy loam, 2 to 7 percent slopes, eroded	All areas are prime farmland
Appling fine sandy loam, 6 to 10 percent slopes, eroded	Farmland of statewide importance
Appling fine sandy loam, 7 to 10 percent slopes (Wedowee)	Farmland of statewide importance
Appling fine sandy loam, 7 to 10 percent slopes, eroded (Wedowee)	Farmland of statewide importance
Appling gravelly sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Appling gravelly sandy loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Appling gravelly sandy loam, 6 to 10 percent slopes	Farmland of statewide importance
Appling gravelly sandy loam, 6 to 10 percent slopes, eroded	Farmland of statewide importance
Appling loamy sand, 2 to 6 percent slopes	All areas are prime farmland
Appling sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Appling sandy loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Appling sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Appling sandy loam, 6 to 12 percent slopes	Farmland of statewide importance
Appling-Marlboro complex, 1 to 6 percent slopes	All areas are prime farmland
Arapahoe fine sandy loam	Prime farmland if drained
Arapahoe fine sandy loam, rarely flooded	Prime farmland if drained
Arapahoe loamy fine sand	Prime farmland if drained
Argent loam	Farmland of statewide importance
Argent loam, 0 to 2 percent slopes, rarely flooded	Farmland of statewide importance
Argent silt loam	Farmland of statewide importance
Argent silt loam, rarely flooded	Farmland of statewide importance

Important Farmlands North Carolina

Map Unit Name	Farmland Classification
Arkaqua loam, 0 to 2 percent slopes, frequently flooded	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
Arkaqua loam, 0 to 2 percent slopes, rarely flooded	Prime farmland if drained
Ashlar-Rock outcrop complex, 2 to 8 percent slopes	Farmland of statewide importance
Augusta fine sandy loam	Prime farmland if drained
Augusta fine sandy loam, 0 to 2 percent slopes	Prime farmland if drained
Augusta fine sandy loam, cool variant, 1 to 4 percent slopes (Delanco)	Prime farmland if drained
Augusta fine sandy loam, rarely flooded	Prime farmland if drained
Augusta loam, occasionally flooded	Prime farmland if drained
Augusta loamy fine sand	Prime farmland if drained
Augusta sandy loam	Prime farmland if drained
Augusta sandy loam, 0 to 2 percent slopes, occasionally flooded	Prime farmland if drained
Augusta silt loam	Prime farmland if drained
Autryville fine sand, 1 to 4 percent slopes	Farmland of statewide importance
Autryville loamy fine sand	Farmland of statewide importance
Autryville loamy fine sand, 0 to 4 percent slopes	Farmland of statewide importance
Autryville loamy fine sand, 0 to 6 percent slopes	Farmland of statewide importance
Autryville loamy sand, 0 to 2 percent slopes	Farmland of statewide importance
Autryville loamy sand, 0 to 5 percent slopes	Farmland of statewide importance
Autryville loamy sand, 0 to 6 percent slopes	Farmland of statewide importance
Autryville sand, 0 to 3 percent slopes	Farmland of statewide importance
Aycock fine sandy loam, 0 to 1 percent slopes	All areas are prime farmland
Aycock fine sandy loam, 1 to 6 percent slopes	All areas are prime farmland
Aycock fine sandy loam, 1 to 6 percent slopes, eroded	All areas are prime farmland
Aycock loam, 0 to 3 percent slopes	All areas are prime farmland
Aycock loam, 1 to 4 percent slopes	All areas are prime farmland
Aycock loam, 3 to 6 percent slopes, eroded	All areas are prime farmland
Aycock silt loam, 0 to 2 percent slopes	All areas are prime farmland
Aycock silt loam, 0 to 3 percent slopes	All areas are prime farmland
Aycock silt loam, 1 to 4 percent slopes	All areas are prime farmland
Aycock silt loam, 2 to 6 percent slopes	All areas are prime farmland
Aycock very fine sandy loam, 0 to 1 percent slopes	All areas are prime farmland
Aycock very fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
Aycock very fine sandy loam, 1 to 4 percent slopes	All areas are prime farmland
Aycock very fine sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Aycock very fine sandy loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Badin channery loam, 8 to 15 percent slopes	Farmland of statewide importance
Badin channery silt loam, 2 to 8 percent slopes	Farmland of statewide importance
Badin channery silt loam, 8 to 15 percent slopes	Farmland of statewide importance
Ballahack fine sandy loam	Prime farmland if drained
Ballahack fine sandy loam, occasionally flooded	Prime farmland if drained
Ballahack loam, 0 to 2 percent slopes, occasionally flooded	Prime farmland if drained
Banister loam, 1 to 6 percent slopes, rarely flooded	All areas are prime farmland
Barclay very fine sandy loam	Prime farmland if drained
Bayboro loam	Farmland of statewide importance
Baymeade fine sand, 0 to 6 percent slopes	Farmland of statewide importance
Baymeade fine sand, 1 to 4 percent slopes	Farmland of statewide importance
Baymeade fine sand, 1 to 6 percent slopes	Farmland of statewide importance
Baymeade sand, 1 to 6 percent slopes	Farmland of statewide importance
Bertie (Chapanoke) very fine sandy loam	Prime farmland if drained

Important Farmlands
North Carolina

Map Unit Name	Farmland Classification
Bertie (Chapanoke) very fine sandy loam, deep phase	Prime farmland if drained
Bertie fine sandy loam	Prime farmland if drained
Bertie very fine sandy loam	Prime farmland if drained
Bertie very fine sandy loam, deep phase	Prime farmland if drained
Bethera loam	Farmland of statewide importance
Bojac loamy fine sand, 0 to 3 percent slopes	Farmland of statewide importance
Bojac loamy sand, 0 to 3 percent slopes	All areas are prime farmland
Bolling loamy fine sand, 0 to 3 percent slopes, rarely flooded	All areas are prime farmland
Bonneau loamy sand, 0 to 4 percent slopes	Farmland of statewide importance
Bonneau loamy sand, 0 to 6 percent slopes	Farmland of statewide importance
Bonneau loamy sand, 6 to 12 percent slopes	Farmland of statewide importance
Bonneau sand, 0 to 3 percent slopes	Farmland of statewide importance
Braddock clay loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Braddock clay loam, 2 to 8 percent slopes, eroded	All areas are prime farmland
Braddock clay loam, 2 to 8 percent slopes, moderately eroded	All areas are prime farmland
Braddock clay loam, 8 to 15 percent slopes, eroded	Farmland of statewide importance
Braddock gravelly loam, 2 to 8 percent slopes	All areas are prime farmland
Braddock gravelly loam, 8 to 15 percent slopes	Farmland of statewide importance
Bradson gravelly loam, 2 to 7 percent slopes	All areas are prime farmland
Bradson gravelly loam, 7 to 15 percent slopes	Farmland of statewide importance
Brasstown-Junaluska complex, 8 to 15 percent slopes	Farmland of statewide importance
Brevard loam, 2 to 6 percent slopes	All areas are prime farmland
Brevard loam, 6 to 10 percent slopes	Farmland of statewide importance
Brevard loam, 7 to 15 percent slopes	Farmland of statewide importance
Butters fine sand, 0 to 2 percent slopes	Farmland of statewide importance
Butters loamy fine sand, 0 to 3 percent slopes	Farmland of statewide importance
Butters loamy sand, 0 to 2 percent slopes	Farmland of statewide importance
Byars loam	Farmland of statewide importance
Cape Fear loam	Farmland of statewide importance
Cape Fear loam, 0 to 2 percent slopes	Farmland of statewide importance
Cape Fear loam, rarely flooded	Farmland of statewide importance
Caroline fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
Caroline fine sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Caroline sandy loam, 0 to 2 percent slopes	All areas are prime farmland
Caroline sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Cartecay and Chewacla soils	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
Cashiers fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance
Cecil clay loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Cecil clay loam, 2 to 8 percent slopes, eroded	All areas are prime farmland
Cecil clay loam, 6 to 10 percent slopes, eroded	Farmland of statewide importance
Cecil clay loam, 8 to 15 percent slopes, eroded	Farmland of statewide importance
Cecil fine sandy loam, 10 to 14 percent slopes (Pacolet)	Farmland of statewide importance
Cecil fine sandy loam, 10 to 15 percent slopes (Pacolet)	Farmland of statewide importance
Cecil fine sandy loam, 10 to 15 percent slopes, eroded (Pacolet)	Farmland of statewide importance
Cecil fine sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Cecil fine sandy loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Cecil fine sandy loam, 2 to 7 percent slopes	All areas are prime farmland
Cecil fine sandy loam, 2 to 7 percent slopes, eroded	All areas are prime farmland
Cecil fine sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Cecil fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance

Important Farmlands North Carolina

Map Unit Name	Farmland Classification
Cecil gravelly fine sandy loam, 10 to 15 percent slopes (Pacolet)	Farmland of statewide importance
Cecil gravelly fine sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Cecil gravelly fine sandy loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Cecil gravelly fine sandy loam, 2 to 7 percent slopes	All areas are prime farmland
Cecil gravelly fine sandy loam, 2 to 7 percent slopes, eroded	All areas are prime farmland
Cecil gravelly fine sandy loam, 6 to 10 percent slopes	Farmland of statewide importance
Cecil gravelly fine sandy loam, 6 to 10 percent slopes, eroded	Farmland of statewide importance
Cecil gravelly fine sandy loam, 7 to 10 percent slopes, eroded	Farmland of statewide importance
Cecil gravelly sandy clay loam, 2 to 8 percent slopes, eroded	All areas are prime farmland
Cecil gravelly sandy loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Cecil gravelly sandy loam, 6 to 10 percent slopes, eroded	Farmland of statewide importance
Cecil loam, 2 to 6 percent slopes	All areas are prime farmland
Cecil loam, 2 to 7 percent slopes, eroded	All areas are prime farmland
Cecil loam, 6 to 10 percent slopes	Farmland of statewide importance
Cecil loam, 7 to 10 percent slopes	Farmland of statewide importance
Cecil sandy clay loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Cecil sandy clay loam, 2 to 8 percent slopes, moderately eroded	All areas are prime farmland
Cecil sandy clay loam, 6 to 10 percent slopes, eroded	Farmland of statewide importance
Cecil sandy loam, 10 to 15 percent slopes	Farmland of statewide importance
Cecil sandy loam, 10 to 15 percent slopes, eroded (Pacolet)	Farmland of statewide importance
Cecil sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Cecil sandy loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Cecil sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Cecil sandy loam, 2 to 8 percent slopes, eroded	All areas are prime farmland
Cecil sandy loam, 8 to 15 percent slopes, eroded	Farmland of statewide importance
Chandler loam, 8 to 15 percent slopes	Farmland of statewide importance
Chandler-Micaville complex, 8 to 15 percent slopes	Farmland of statewide importance
Chapanoke silt loam	Prime farmland if drained
Chapanoke silt loam, 0 to 2 percent slopes	Prime farmland if drained
Chapanoke silt loam, 0 to 2 percent slopes, rarely flooded	Prime farmland if drained
Charleston loamy fine sand	Farmland of statewide importance
Chenneby silt loam, 0 to 2 percent slopes, frequently flooded	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
Chester fine sandy loam, 6 to 15 percent slopes (Evard)	Farmland of statewide importance
Chester loam, 2 to 6 percent slopes	All areas are prime farmland
Chester loam, 6 to 10 percent slopes	Farmland of statewide importance
Chewacla and Congaree loams, frequently flooded	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
Chewacla and Wehadkee loams, frequently flooded	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
Chewacla and Wehadkee soils	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
Chewacla and Wehadkee soils, 0 to 2 percent slopes, frequently flooded	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
Chewacla fine sandy loam, 0 to 2 percent slopes, occasionally flooded	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season

Important Farmlands North Carolina

Map Unit Name	Farmland Classification
Chewacla loam	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
Chewacla loam, 0 to 1 percent slopes, occasionally flooded	Prime farmland if drained
Chewacla loam, 0 to 2 percent slopes, frequently flooded	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
Chewacla loam, 0 to 2 percent slopes, occasionally flooded	Prime farmland if drained
Chewacla loam, frequently flooded	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
Chewacla loam, occasionally flooded	Prime farmland if drained
Chewacla sandy loam	Prime farmland if protected from flooding or not frequently flooded during the growing season
Chewacla sandy loam, frequently flooded	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
Chewacla silt loam	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
Chewacla silt loam, 0 to 2 percent slopes, frequently flooded	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
Chewacla silt loam, frequently flooded	Prime farmland if protected from flooding or not frequently flooded during the growing season
Chewacla soils	Prime farmland if protected from flooding or not frequently flooded during the growing season
Cid channery silt loam, 1 to 5 percent slopes	Farmland of statewide importance
Cid-Lignum complex, 1 to 6 percent slopes	Farmland of statewide importance
Clifton clay loam, 2 to 8 percent slopes, eroded	All areas are prime farmland
Clifton clay loam, 2 to 8 percent slopes, moderately eroded	All areas are prime farmland
Clifton loam, 2 to 8 percent slopes	All areas are prime farmland
Clifton loam, 6 to 10 percent slopes	Farmland of statewide importance
Clifton loam, 8 to 15 percent slopes	Farmland of statewide importance
Clifton sandy loam, 2 to 8 percent slopes, stony	All areas are prime farmland
Codorus complex	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
Codorus loam	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
Colfax sandy loam, 0 to 3 percent slopes	Farmland of statewide importance
Colvard fine sandy loam	All areas are prime farmland
Colvard sandy loam, 0 to 3 percent slopes, occasionally flooded	All areas are prime farmland
Comus (Colvard) fine sandy loam	Prime farmland if protected from flooding or not frequently flooded during the growing season

Important Farmlands North Carolina

Map Unit Name	Farmland Classification
Comus fine sandy loam	Prime farmland if protected from flooding or not frequently flooded during the growing season
Conaby muck	Prime farmland if drained
Conaby muck, 0 to 2 percent slopes	Prime farmland if drained
Conaby muck, 0 to 2 percent slopes, rarely flooded	Prime farmland if drained
Conetoe loamy sand, 0 to 3 percent slopes	Farmland of statewide importance
Conetoe loamy sand, 0 to 4 percent slopes	Farmland of statewide importance
Congaree (Shellbluff) silt loam	Prime farmland if protected from flooding or not frequently flooded during the growing season
Congaree complex	Prime farmland if protected from flooding or not frequently flooded during the growing season
Congaree fine sandy loam	Prime farmland if protected from flooding or not frequently flooded during the growing season
Congaree fine sandy loam (Toccoa)	All areas are prime farmland
Congaree fine sandy loam, 0 to 2 percent slopes, frequently flooded	Prime farmland if protected from flooding or not frequently flooded during the growing season
Congaree fine sandy loam, frequently flooded	Prime farmland if protected from flooding or not frequently flooded during the growing season
Congaree loam	Prime farmland if protected from flooding or not frequently flooded during the growing season
Congaree loam, 0 to 2 percent slopes, occasionally flooded	All areas are prime farmland
Congaree loam, occasionally flooded	All areas are prime farmland
Congaree silt loam	Prime farmland if protected from flooding or not frequently flooded during the growing season
Congaree silt loam, 0 to 2 percent slopes, frequently flooded	Prime farmland if protected from flooding or not frequently flooded during the growing season
Congaree silt loam, frequently flooded	Prime farmland if protected from flooding or not frequently flooded during the growing season
Congaree soils	Prime farmland if protected from flooding or not frequently flooded during the growing season
Coronaca clay loam, 2 to 6 percent slopes	All areas are prime farmland
Coronaca clay loam, 2 to 8 percent slopes	All areas are prime farmland
Coronaca clay loam, 2 to 8 percent slopes, moderately eroded	All areas are prime farmland
Coronaca clay loam, 6 to 10 percent slopes	Farmland of statewide importance
Coronaca clay loam, 8 to 15 percent slopes	Farmland of statewide importance
Coronaca clay loam, 8 to 15 percent slopes, moderately eroded	Farmland of statewide importance
Coxville loam	Farmland of statewide importance
Coxville sandy loam	Farmland of statewide importance
Craven fine sandy loam, 1 to 4 percent slopes	All areas are prime farmland
Craven fine sandy loam, 1 to 6 percent slopes	All areas are prime farmland
Craven fine sandy loam, 1 to 6 percent slopes, eroded	All areas are prime farmland

Important Farmlands North Carolina

Map Unit Name	Farmland Classification
Craven fine sandy loam, 4 to 10 percent slopes	Farmland of statewide importance
Craven fine sandy loam, 4 to 8 percent slopes	Farmland of statewide importance
Craven fine sandy loam, 6 to 10 percent slopes	Farmland of statewide importance
Craven loam, 1 to 4 percent slopes	All areas are prime farmland
Craven loam, 1 to 4 percent slopes, eroded	All areas are prime farmland
Craven sandy clay loam, 1 to 4 percent slopes, eroded	All areas are prime farmland
Craven sandy loam, 2 to 6 percent slopes, eroded (Gritney)	All areas are prime farmland
Craven sandy loam, 6 to 10 percent slopes, eroded (Gritney)	Farmland of statewide importance
Craven very fine sandy loam, 1 to 4 percent slopes	All areas are prime farmland
Craven very fine sandy loam, 4 to 8 percent slopes	Farmland of statewide importance
Creedmoor coarse sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Creedmoor fine sandy loam, 1 to 4 percent slopes	All areas are prime farmland
Creedmoor fine sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Creedmoor fine sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Creedmoor fine sandy loam, 6 to 10 percent slopes	Farmland of statewide importance
Creedmoor fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance
Creedmoor loam, 2 to 8 percent slopes	All areas are prime farmland
Creedmoor sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Creedmoor sandy loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Creedmoor sandy loam, 6 to 10 percent slopes, eroded	Farmland of statewide importance
Creedmoor silt loam, 2 to 6 percent slopes	All areas are prime farmland
Creedmoor silt loam, 6 to 10 percent slopes	Farmland of statewide importance
Cullen clay loam, 2 to 8 percent slopes, eroded	All areas are prime farmland
Cullen clay loam, 8 to 15 percent slopes, eroded	Farmland of statewide importance
Culowhee fine sandy loam, 0 to 2 percent slopes, occasionally flooded	Prime farmland if drained
Culowhee fine sandy loam, 0 to 3 percent slopes, occasionally flooded	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
Culowhee loam, 0 to 3 percent slopes, frequently flooded	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
Davidson clay loam, 2 to 6 percent slopes	All areas are prime farmland
Davidson clay loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Davidson clay loam, 2 to 7 percent slopes, eroded	All areas are prime farmland
Davidson clay loam, 2 to 8 percent slopes	All areas are prime farmland
Davidson clay loam, 7 to 10 percent slopes, eroded	Farmland of statewide importance
Davidson clay loam, 8 to 15 percent slopes	Farmland of statewide importance
Davidson loam, 8 to 15 percent slopes	Farmland of statewide importance
Davidson sandy clay loam, 2 to 8 percent slopes	All areas are prime farmland
Davidson sandy clay loam, 8 to 15 percent slopes	Farmland of statewide importance
Delanco (Dillard) loam, 0 to 2 percent slopes	All areas are prime farmland
Delanco (Dillard) loam, 2 to 7 percent slopes	All areas are prime farmland
Delanco fine sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Dellwood cobbly sandy loam, 0 to 3 percent slopes, occasionally flooded	Farmland of statewide importance
Deloss fine sandy loam	Prime farmland if drained
Deloss mucky loam, frequently flooded	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
Dillard clay loam, 2 to 8 percent slopes, rarely flooded	All areas are prime farmland
Dillard fine sandy loam, 2 to 8 percent slopes, rarely flooded	All areas are prime farmland

Important Farmlands
North Carolina

Map Unit Name	Farmland Classification
Dillard loam, 1 to 4 percent slopes, rarely flooded	All areas are prime farmland
Dillard loam, 1 to 5 percent slopes, rarely flooded	All areas are prime farmland
Dillard loam, 1 to 6 percent slopes, rarely flooded	All areas are prime farmland
Dillsboro loam, 2 to 8 percent slopes	All areas are prime farmland
Dogue fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
Dogue fine sandy loam, 0 to 2 percent slopes, rarely flooded	All areas are prime farmland
Dogue fine sandy loam, 0 to 3 percent slopes	All areas are prime farmland
Dogue fine sandy loam, 1 to 4 percent slopes	All areas are prime farmland
Dogue fine sandy loam, 1 to 6 percent slopes, rarely flooded	All areas are prime farmland
Dogue fine sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Dogue fine sandy loam, 2 to 6 percent slopes, rarely flooded	All areas are prime farmland
Dogue fine sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Dogue fine sandy loam, 2 to 8 percent slopes, rarely flooded	All areas are prime farmland
Dogue fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance
Dogue loam, 0 to 4 percent slopes	All areas are prime farmland
Dogue loam, 1 to 6 percent slopes, rarely flooded	All areas are prime farmland
Dogue sandy loam, 0 to 2 percent slopes	All areas are prime farmland
Dogue sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Dogue sandy loam, 2 to 6 percent slopes, rarely flooded	All areas are prime farmland
Dogue sandy loam, 2 to 8 percent slopes, rarely flooded	All areas are prime farmland
Dogue sandy loam, 6 to 12 percent slopes	Farmland of statewide importance
Dogue silt loam, 0 to 3 percent slopes	All areas are prime farmland
Dogue-Roanoke complex, 0 to 6 percent slopes, rarely flooded	All areas are prime farmland
Dothan gravelly loamy sand, 0 to 6 percent slopes	All areas are prime farmland
Dothan loamy sand, 0 to 2 percent slopes	All areas are prime farmland
Dothan loamy sand, 0 to 3 percent slopes	All areas are prime farmland
Dothan loamy sand, 2 to 6 percent slopes	All areas are prime farmland
Dothan loamy sand, 2 to 8 percent slopes	All areas are prime farmland
Dragston loamy fine sand	Farmland of statewide importance
Dragston loamy sand	Farmland of statewide importance
Dunbar fine sandy loam	Farmland of statewide importance
Dunbar loam	Farmland of statewide importance
Dunbar sandy loam	Farmland of statewide importance
Duplin sandy loam, 0 to 2 percent slopes	All areas are prime farmland
Duplin sandy loam, 2 to 5 percent slopes	All areas are prime farmland
Duplin sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Durham coarse sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Durham loamy sand, 1 to 6 percent slopes	All areas are prime farmland
Durham loamy sand, 2 to 6 percent slopes	All areas are prime farmland
Durham loamy sand, 2 to 6 percent slopes, eroded	All areas are prime farmland
Durham loamy sand, 2 to 8 percent slopes	All areas are prime farmland
Durham loamy sand, 6 to 10 percent slopes	Farmland of statewide importance
Durham loamy sand, 6 to 10 percent slopes, eroded	Farmland of statewide importance
Durham sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Durham sandy loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Edneytown loam, 8 to 15 percent slopes	Farmland of statewide importance
Edneyville (Edneytown) fine sandy loam, 7 to 15 percent slopes	Farmland of statewide importance
Efland silt loam, 2 to 6 percent slopes (Badin)	All areas are prime farmland
Efland silt loam, 2 to 6 percent slopes, eroded (Badin)	All areas are prime farmland
Elsinboro loam, 0 to 3 percent slopes	All areas are prime farmland
Emporia fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
Emporia fine sandy loam, 2 to 6 percent slopes	All areas are prime farmland

Important Farmlands North Carolina

Map Unit Name	Farmland Classification
Emporia fine sandy loam, 6 to 10 percent slopes	Farmland of statewide importance
Emporia-Wedowee complex, 2 to 6 percent slopes	All areas are prime farmland
Engelhard loamy very fine sand, 0 to 2 percent slopes, rarely flooded	Prime farmland if drained
Enon clay loam, 10 to 15 percent slopes, eroded	Farmland of statewide importance
Enon clay loam, 2 to 6 percent slopes, eroded	Farmland of statewide importance
Enon clay loam, 6 to 10 percent slopes, eroded	Farmland of statewide importance
Enon fine sandy loam, 10 to 15 percent slopes	Farmland of statewide importance
Enon fine sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Enon fine sandy loam, 2 to 6 percent slopes (Wynott)	All areas are prime farmland
Enon fine sandy loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Enon fine sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Enon fine sandy loam, 6 to 10 percent slopes	Farmland of statewide importance
Enon fine sandy loam, 6 to 10 percent slopes, eroded	Farmland of statewide importance
Enon gravelly loam, 2 to 8 percent slopes	All areas are prime farmland
Enon gravelly loam, 8 to 15 percent slopes	Farmland of statewide importance
Enon loam, 2 to 6 percent slopes (Wynott)	All areas are prime farmland
Enon loam, 2 to 6 percent slopes, eroded (Wynott)	All areas are prime farmland
Enon loam, 6 to 12 percent slopes	All areas are prime farmland
Enon sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Evard fine sandy loam, 7 to 15 percent slopes	Farmland of statewide importance
Exum fine sandy loam, 0 to 1 percent slopes	All areas are prime farmland
Exum fine sandy loam, 1 to 6 percent slopes	All areas are prime farmland
Exum loam, 0 to 2 percent slopes	All areas are prime farmland
Exum silt loam, 0 to 2 percent slopes	All areas are prime farmland
Exum very fine sandy loam	All areas are prime farmland
Exum very fine sandy loam, 0 to 1 percent slopes	All areas are prime farmland
Exum very fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
Exum very fine sandy loam, 0 to 3 percent slopes	All areas are prime farmland
Faceville fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
Faceville fine sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Faceville loamy sand, 1 to 6 percent slopes	All areas are prime farmland
Faceville sandy loam, 0 to 2 percent slopes	All areas are prime farmland
Faceville sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Faceville sandy loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Faceville sandy loam, 6 to 10 percent slopes, eroded	Farmland of statewide importance
Fallsington (Nimmo) fine sandy loam	Prime farmland if drained
Fallsington fine sandy loam	Prime farmland if drained
Fannin loam, 8 to 15 percent slopes	Farmland of statewide importance
Fannin silt loam, 6 to 10 percent slopes, eroded	Farmland of statewide importance
Fannin silt loam, 7 to 15 percent slopes	Farmland of statewide importance
Fletcher and Fannin soils, 6 to 15 percent slopes	Farmland of statewide importance
Foreston loamy fine sand	Farmland of statewide importance
Foreston loamy sand	Farmland of statewide importance
Foreston loamy sand, 0 to 2 percent slopes	Farmland of statewide importance
Fork fine sandy loam, 0 to 2 percent slopes, rarely flooded	Prime farmland if drained
Fork loamy fine sand	Prime farmland if drained
Fortescue mucky loam	Prime farmland if drained
Fortescue silt loam, 0 to 2 percent slopes, rarely flooded	Prime farmland if drained
French loam, 0 to 3 percent slopes, occasionally flooded	Prime farmland if drained
Fuquay gravelly loamy sand, 0 to 6 percent slopes	Farmland of statewide importance
Fuquay loamy sand, 0 to 3 percent slopes	Farmland of statewide importance
Fuquay loamy sand, 0 to 6 percent slopes	Farmland of statewide importance

Important Farmlands
North Carolina

Map Unit Name	Farmland Classification
Fuquay sand, 0 to 4 percent slopes	Farmland of statewide importance
Gaston clay loam, 8 to 15 percent slopes, eroded	Farmland of statewide importance
Gaston sandy clay loam, 2 to 8 percent slopes, eroded	All areas are prime farmland
Gaston sandy clay loam, 8 to 15 percent slopes, eroded	Farmland of statewide importance
Georgeville clay loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Georgeville clay loam, 2 to 8 percent slopes, eroded	All areas are prime farmland
Georgeville clay loam, 8 to 15 percent slopes, eroded	Farmland of statewide importance
Georgeville gravelly loam, 2 to 6 percent slopes	All areas are prime farmland
Georgeville gravelly loam, 6 to 10 percent slopes	Farmland of statewide importance
Georgeville gravelly silt loam, 2 to 8 percent slopes	All areas are prime farmland
Georgeville loam, 2 to 6 percent slopes	All areas are prime farmland
Georgeville loam, 2 to 8 percent slopes	All areas are prime farmland
Georgeville loam, 8 to 15 percent slopes	Farmland of statewide importance
Georgeville silt loam, 10 to 15 percent slopes	Farmland of statewide importance
Georgeville silt loam, 10 to 15 percent slopes, eroded	Farmland of statewide importance
Georgeville silt loam, 2 to 6 percent slopes	All areas are prime farmland
Georgeville silt loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Georgeville silt loam, 8 to 15 percent slopes	Farmland of statewide importance
Georgeville silty clay loam, 2 to 8 percent slopes	All areas are prime farmland
Georgeville silty clay loam, 2 to 8 percent slopes, eroded	All areas are prime farmland
Georgeville silty clay loam, 8 to 15 percent slopes, eroded	Farmland of statewide importance
Georgeville silty clay loam, 8 to 15 percent slopes, moderately eroded	Farmland of statewide importance
Gertie silt loam, 0 to 2 percent slopes	Farmland of statewide importance
Gilead loamy sand, 0 to 2 percent slopes	All areas are prime farmland
Gilead loamy sand, 2 to 8 percent slopes	All areas are prime farmland
Gilead loamy sand, 8 to 15 percent slopes	Farmland of statewide importance
Gilead sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Gilead sandy loam, 8 to 15 percent slopes	Farmland of statewide importance
Goldsboro fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
Goldsboro fine sandy loam, 0 to 3 percent slopes	All areas are prime farmland
Goldsboro loamy fine sand, 0 to 2 percent slopes	All areas are prime farmland
Goldsboro loamy sand	All areas are prime farmland
Goldsboro loamy sand, 0 to 2 percent slopes	All areas are prime farmland
Goldsboro sandy loam	All areas are prime farmland
Goldsboro sandy loam, 0 to 1 percent slopes	All areas are prime farmland
Goldsboro sandy loam, 0 to 2 percent slopes	All areas are prime farmland
Goldsboro sandy loam, 0 to 3 percent slopes	All areas are prime farmland
Goldsboro sandy loam, 1 to 6 percent slopes	All areas are prime farmland
Grantham loam, 0 to 1 percent slopes	Prime farmland if drained
Grantham silt loam	Prime farmland if drained
Grantham very fine sandy loam	Prime farmland if drained
Granville gravelly sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Granville sandy loam, 10 to 15 percent slopes	Farmland of statewide importance
Granville sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Granville sandy loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Granville sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Grifton fine sandy loam	Prime farmland if drained
Grifton fine sandy loam, 0 to 1 percent slopes	Prime farmland if drained
Grifton loamy fine sand	Prime farmland if drained
Grifton sandy loam	Prime farmland if drained
Gritney fine sandy loam, 2 to 6 percent slopes	All areas are prime farmland

Important Farmlands
North Carolina

Map Unit Name	Farmland Classification
Gritney fine sandy loam, 2 to 7 percent slopes	All areas are prime farmland
Gritney fine sandy loam, 4 to 8 percent slopes	Farmland of statewide importance
Gritney fine sandy loam, 5 to 12 percent slopes, eroded	Farmland of statewide importance
Gritney fine sandy loam, 7 to 15 percent slopes	Farmland of statewide importance
Gritney loamy fine sand, 2 to 7 percent slopes	All areas are prime farmland
Gritney sandy loam, 2 to 5 percent slopes, eroded	All areas are prime farmland
Gritney sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Gritney sandy loam, 5 to 12 percent slopes, eroded	Farmland of statewide importance
Gritney sandy loam, 6 to 10 percent slopes	Farmland of statewide importance
Gullrock muck, 0 to 2 percent slopes, rarely flooded	Prime farmland if drained
Halewood stony sandy loam, 7 to 10 percent slopes (Edneyville-Chestnut)	Farmland of statewide importance
Hayesville and Cecil clay loams, 7 to 14 percent slopes, severely eroded (Evard-Cowee)	Farmland of statewide importance
Hayesville clay loam, 2 to 8 percent slopes, eroded	All areas are prime farmland
Hayesville clay loam, 6 to 15 percent slopes, eroded	Farmland of statewide importance
Hayesville loam, 2 to 7 percent slopes	All areas are prime farmland
Hayesville loam, 6 to 10 percent slopes	Farmland of statewide importance
Hayesville loam, 6 to 15 percent slopes	Farmland of statewide importance
Hayesville loam, 7 to 15 percent slopes	Farmland of statewide importance
Hayesville sandy clay loam, 8 to 15 percent slopes, eroded	Farmland of statewide importance
Hayesville-Sauratown complex, 2 to 8 percent slopes	Farmland of statewide importance
Hayesville-Sauratown complex, 8 to 15 percent slopes	Farmland of statewide importance
Helena coarse sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Helena fine sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Helena sandy loam, 1 to 6 percent slopes	All areas are prime farmland
Helena sandy loam, 10 to 15 percent slopes	Farmland of statewide importance
Helena sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Helena-Sedgefield sandy loams, 0 to 2 percent slopes	All areas are prime farmland
Helena-Sedgefield sandy loams, 0 to 6 percent slopes	All areas are prime farmland
Herndon loam, 2 to 6 percent slopes	All areas are prime farmland
Herndon loam, 6 to 10 percent slopes	Farmland of statewide importance
Herndon silt loam, 2 to 6 percent slopes	All areas are prime farmland
Herndon silt loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Herndon silt loam, 2 to 8 percent slopes	All areas are prime farmland
Herndon silt loam, 8 to 15 percent slopes	Farmland of statewide importance
Hiwassee clay loam, 10 to 15 percent slopes, eroded	Farmland of statewide importance
Hiwassee clay loam, 2 to 6 percent slopes	All areas are prime farmland
Hiwassee clay loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Hiwassee clay loam, 2 to 8 percent slopes	All areas are prime farmland
Hiwassee clay loam, 2 to 8 percent slopes, eroded	All areas are prime farmland
Hiwassee clay loam, 2 to 8 percent slopes, moderately eroded	All areas are prime farmland
Hiwassee clay loam, 6 to 10 percent slopes	Farmland of statewide importance
Hiwassee clay loam, 6 to 10 percent slopes, eroded	Farmland of statewide importance
Hiwassee clay loam, 8 to 15 percent slopes, moderately eroded	Farmland of statewide importance
Hiwassee gravelly loam, 2 to 8 percent slopes	All areas are prime farmland
Hiwassee gravelly loam, 8 to 15 percent slopes	Farmland of statewide importance
Hiwassee loam, 10 to 15 percent slopes	Farmland of statewide importance
Hiwassee loam, 2 to 6 percent slopes	All areas are prime farmland
Hiwassee loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Hiwassee loam, 2 to 7 percent slopes, eroded	All areas are prime farmland
Hiwassee loam, 2 to 8 percent slopes	All areas are prime farmland

Important Farmlands
North Carolina

Map Unit Name	Farmland Classification
Hiwassee loam, 6 to 10 percent slopes	Farmland of statewide importance
Hiwassee loam, 6 to 10 percent slopes, eroded	Farmland of statewide importance
Hiwassee loam, 8 to 15 percent slopes	Farmland of statewide importance
Hornsboro loam, 0 to 3 percent slopes, rarely flooded	Farmland of statewide importance
Hulett gravelly sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Hyde loam, 0 to 2 percent slopes, rarely flooded	Prime farmland if drained
Hyde loam, rarely flooded	Prime farmland if drained
Hyde silt loam	Prime farmland if drained
Hyde silt loam, 0 to 2 percent slopes	Prime farmland if drained
Hydeland silt loam, 0 to 2 percent slopes, rarely flooded	Prime farmland if drained
Icaria fine sandy loam	Prime farmland if drained
Icaria fine sandy loam, 0 to 2 percent slopes	Prime farmland if drained
Invershiel-Pender complex, 0 to 2 percent slopes	All areas are prime farmland
Iotla loam, 0 to 2 percent slopes, occasionally flooded	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
Iredell clay loam, 2 to 6 percent slopes	Farmland of statewide importance
Iredell fine sandy loam, 0 to 1 percent slopes	Farmland of statewide importance
Iredell fine sandy loam, 0 to 4 percent slopes	Farmland of statewide importance
Iredell fine sandy loam, 1 to 6 percent slopes	Farmland of statewide importance
Iredell fine sandy loam, 1 to 8 percent slopes	Farmland of statewide importance
Iredell fine sandy loam, 2 to 7 percent slopes	Farmland of statewide importance
Iredell gravelly loam, 1 to 4 percent slopes	Farmland of statewide importance
Iredell loam, 0 to 3 percent slopes	Farmland of statewide importance
Iredell loam, 1 to 6 percent slopes	Farmland of statewide importance
Iredell loam, 1 to 8 percent slopes	Farmland of statewide importance
Iredell loam, 6 to 10 percent slopes	Farmland of statewide importance
Johns fine sandy loam	Prime farmland if drained
Johns fine sandy loam, 0 to 2 percent slopes	Prime farmland if drained
Johns loamy sand, 0 to 2 percent slopes	Prime farmland if drained
Johns sandy loam	Prime farmland if drained
Junaluska-Brasstown complex, 2 to 8 percent slopes	Farmland of statewide importance
Kalmia loamy fine sand, 0 to 2 percent slopes	All areas are prime farmland
Kalmia loamy sand, 0 to 2 percent slopes	All areas are prime farmland
Kalmia loamy sand, 0 to 3 percent slopes	All areas are prime farmland
Kalmia loamy sand, 2 to 6 percent slopes	All areas are prime farmland
Kalmia sandy loam, wet substratum, 0 to 2 percent slopes	All areas are prime farmland
Kanuga-Swannanoa complex, 2 to 8 percent slopes	All areas are prime farmland
Kenansville fine sand, 0 to 4 percent slopes	Farmland of statewide importance
Kenansville loamy fine sand, 0 to 3 percent slopes	Farmland of statewide importance
Kenansville loamy sand	Farmland of statewide importance
Kenansville loamy sand, 0 to 3 percent slopes	Farmland of statewide importance
Kenansville loamy sand, 0 to 4 percent slopes	Farmland of statewide importance
Kinkora loam	Farmland of statewide importance
Kirksey silt loam, 0 to 6 percent slopes	All areas are prime farmland
Kirksey silt loam, 1 to 6 percent slopes	All areas are prime farmland
Kirksey silt loam, 2 to 6 percent slopes	All areas are prime farmland
Leaf loam	Farmland of statewide importance
Lenoir loam, 0 to 1 percent slopes	Farmland of statewide importance
Lenoir loam, 0 to 2 percent slopes	Farmland of statewide importance
Lenoir silt loam	Farmland of statewide importance
Leon fine sand	Farmland of unique importance

Important Farmlands North Carolina

Map Unit Name	Farmland Classification
Leon fine sand, 0 to 2 percent slopes	Farmland of unique importance
Leon sand	Farmland of unique importance
Leon sand, 0 to 2 percent slopes	Farmland of unique importance
Leon sand, 0 to 3 percent slopes	Farmland of unique importance
Leon sand, 1 to 4 percent slopes	Farmland of unique importance
Liddell silt loam	Prime farmland if drained
Liddell very fine sandy loam	Prime farmland if drained
Lignum gravelly silt loam, 2 to 8 percent slopes	Farmland of statewide importance
Lignum silt loam, 0 to 3 percent slopes	Farmland of statewide importance
Lignum silt loam, 0 to 4 percent slopes	Farmland of statewide importance
Lignum silt loam, 1 to 6 percent slopes	Farmland of statewide importance
Lignum silt loam, 2 to 6 percent slopes	Farmland of statewide importance
Lignum silt loam, 2 to 7 percent slopes	Farmland of statewide importance
Lignum silt loam, 7 to 12 percent slopes	Farmland of statewide importance
Lloyd fine sandy loam, 10 to 15 percent slopes	Farmland of statewide importance
Lloyd fine sandy loam, 10 to 15 percent slopes, eroded	Farmland of statewide importance
Lloyd fine sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Lloyd fine sandy loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Lloyd fine sandy loam, 6 to 10 percent slopes	Farmland of statewide importance
Lloyd fine sandy loam, 6 to 10 percent slopes, eroded	Farmland of statewide importance
Lloyd loam, 0 to 2 percent slopes	All areas are prime farmland
Lloyd loam, 10 to 14 percent slopes, eroded	Farmland of statewide importance
Lloyd loam, 2 to 6 percent slopes	All areas are prime farmland
Lloyd loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Lloyd loam, 2 to 7 percent slopes	All areas are prime farmland
Lloyd loam, 2 to 7 percent slopes (Pacolet)	All areas are prime farmland
Lloyd loam, 2 to 7 percent slopes, eroded	All areas are prime farmland
Lloyd loam, 2 to 7 percent slopes, eroded (Pacolet)	All areas are prime farmland
Lloyd loam, 7 to 10 percent slopes	Farmland of statewide importance
Local alluvial land, well drained	All areas are prime farmland
Lonon channery loam, 2 to 8 percent slopes	All areas are prime farmland
Louisburg loamy sand, 10 to 15 percent slopes	Farmland of local importance
Louisburg loamy sand, 2 to 6 percent slopes	Farmland of local importance
Louisburg loamy sand, 6 to 10 percent slopes	Farmland of local importance
Louisburg loamy sand, 6 to 15 percent slopes	Farmland of local importance
Louisburg-Wedowee complex, 2 to 6 percent slopes	Farmland of local importance
Louisburg-Wedowee complex, 2 to 6 percent slopes, eroded	Farmland of local importance
Louisburg-Wedowee complex, 6 to 10 percent slopes	Farmland of local importance
Louisburg-Wedowee complex, 6 to 10 percent slopes, eroded	Farmland of local importance
Lucy loamy sand	Farmland of statewide importance
Lucy loamy sand, 0 to 6 percent slopes	Farmland of statewide importance
Lumbree fine sandy loam	Prime farmland if drained
Lumbree fine sandy loam, occasionally flooded	Prime farmland if drained
Lumbree sandy loam	Prime farmland if drained
Lynchburg fine sandy loam	Prime farmland if drained
Lynchburg sandy loam	Prime farmland if drained
Lynn Haven fine sand	Farmland of unique importance
Lynn Haven sand	Farmland of unique importance
Madison clay loam, 10 to 15 percent slopes, eroded	Farmland of statewide importance
Madison clay loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Madison clay loam, 6 to 10 percent slopes, eroded	Farmland of statewide importance
Madison clay loam, 8 to 15 percent slopes, eroded	Farmland of statewide importance

Important Farmlands North Carolina

Map Unit Name	Farmland Classification
Madison fine sandy loam, 10 to 15 percent slopes	Farmland of statewide importance
Madison fine sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Madison fine sandy loam, 2 to 7 percent slopes	All areas are prime farmland
Madison fine sandy loam, 2 to 7 percent slopes, eroded	All areas are prime farmland
Madison fine sandy loam, 6 to 10 percent slopes	Farmland of statewide importance
Madison fine sandy loam, 7 to 10 percent slopes	Farmland of statewide importance
Madison gravelly fine sandy loam, 10 to 14 percent slopes, eroded	Farmland of statewide importance
Madison gravelly fine sandy loam, 10 to 15 percent slopes	Farmland of statewide importance
Madison gravelly fine sandy loam, 10 to 15 percent slopes, eroded	Farmland of statewide importance
Madison gravelly fine sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Madison gravelly fine sandy loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Madison gravelly fine sandy loam, 6 to 10 percent slopes	Farmland of statewide importance
Madison gravelly fine sandy loam, 6 to 10 percent slopes, eroded	Farmland of statewide importance
Madison gravelly fine sandy loam, 7 to 10 percent slopes	Farmland of statewide importance
Madison gravelly sandy loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Madison gravelly sandy loam, 6 to 10 percent slopes, eroded	Farmland of statewide importance
Madison sandy clay loam, 2 to 8 percent slopes, eroded	All areas are prime farmland
Madison sandy loam, 10 to 15 percent slopes	Farmland of statewide importance
Madison sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Madison sandy loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Madison sandy loam, 6 to 10 percent slopes	Farmland of statewide importance
Madison sandy loam, 6 to 10 percent slopes, eroded	Farmland of statewide importance
Madison sandy loam, 8 to 15 percent slopes	Farmland of statewide importance
Madison-Bethlehem complex, 2 to 8 percent slopes, stony, moderately eroded	All areas are prime farmland
Marlboro fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
Marlboro fine sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Marlboro loamy sand, 0 to 2 percent slopes	All areas are prime farmland
Marlboro loamy sand, 2 to 5 percent slopes	All areas are prime farmland
Marlboro sandy loam, 0 to 2 percent slopes	All areas are prime farmland
Marlboro sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Marlboro-Cecil complex, 2 to 8 percent slopes	All areas are prime farmland
Marvyn and Craven soils, 6 to 12 percent slopes	Farmland of statewide importance
Marvyn loamy fine sand, 6 to 15 percent slopes	Farmland of statewide importance
Marvyn loamy sand, 6 to 12 percent slopes	Farmland of statewide importance
Marvyn loamy sand, 6 to 15 percent slopes	Farmland of statewide importance
Masada fine sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Masada fine sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Masada fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance
Masada sandy clay loam, 2 to 8 percent slopes, eroded	All areas are prime farmland
Masada sandy clay loam, 8 to 15 percent slopes, eroded	Farmland of statewide importance
Masada sandy loam, 0 to 4 percent slopes (State)	All areas are prime farmland
Masada sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Masontown loam, frequently flooded	Farmland of statewide importance
Masontown mucky fine sandy loam	Prime farmland if drained
Masontown mucky loam, frequently flooded	Farmland of statewide importance
Matapeake fine and very fine sandy loams	All areas are prime farmland
Mattapeake (State) fine sandy loam	All areas are prime farmland
Mattapex (Yeopim) very fine sandy loam	All areas are prime farmland
Mattapex (Yeopim) very fine sandy loam, deep phase	All areas are prime farmland
Mattapex fine sandy loam	All areas are prime farmland
Mattapex very fine sandy loam	All areas are prime farmland

Important Farmlands North Carolina

Map Unit Name	Farmland Classification
Mattapex very fine sandy loam, deep phase	All areas are prime farmland
Mattaponi fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
Mattaponi fine sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Mattepep (Altavista) fine sandy loam	All areas are prime farmland
Mayodan fine sandy loam, 2 to 7 percent slopes	All areas are prime farmland
Mayodan fine sandy loam, 2 to 7 percent slopes, eroded	All areas are prime farmland
Mayodan fine sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Mayodan fine sandy loam, 7 to 10 percent slopes	Farmland of statewide importance
Mayodan fine sandy loam, 7 to 10 percent slopes, eroded	Farmland of statewide importance
Mayodan gravelly sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Mayodan gravelly sandy loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Mayodan gravelly sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Mayodan gravelly sandy loam, 6 to 10 percent slopes	Farmland of statewide importance
Mayodan gravelly sandy loam, 8 to 15 percent slopes	Farmland of statewide importance
Mayodan sandy loam, 10 to 15 percent slopes	Farmland of statewide importance
Mayodan sandy loam, 10 to 15 percent slopes, eroded	Farmland of statewide importance
Mayodan sandy loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Mayodan sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Mayodan sandy loam, 6 to 10 percent slopes	Farmland of statewide importance
Mayodan sandy loam, 6 to 10 percent slopes, eroded	Farmland of statewide importance
Mayodan sandy loam, 8 to 15 percent slopes	Farmland of statewide importance
Mayodan silt loam, 2 to 8 percent slopes	All areas are prime farmland
Mayodan silty clay loam, 2 to 8 percent slopes, eroded	All areas are prime farmland
Mayodan-Exway complex, 8 to 15 percent slopes, eroded	Farmland of statewide importance
McColl loam	Farmland of statewide importance
Mecklenburg clay loam, 2 to 8 percent slopes, eroded	All areas are prime farmland
Mecklenburg clay loam, 2 to 8 percent slopes, moderately eroded	All areas are prime farmland
Mecklenburg clay loam, 6 to 15 percent slopes, severely eroded	Farmland of statewide importance
Mecklenburg clay loam, 8 to 15 percent slopes, eroded	Farmland of statewide importance
Mecklenburg clay loam, 8 to 15 percent slopes, moderately eroded	Farmland of statewide importance
Mecklenburg fine sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Mecklenburg fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance
Mecklenburg loam, 2 to 6 percent slopes	All areas are prime farmland
Mecklenburg loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Mecklenburg loam, 2 to 7 percent slopes, eroded	All areas are prime farmland
Mecklenburg loam, 6 to 10 percent slopes	Farmland of statewide importance
Mecklenburg loam, 8 to 15 percent slopes	Farmland of statewide importance
Mecklenburg loam, dark surface variant, 10 to 15 percent slopes	Farmland of statewide importance
Mecklenburg loam, dark surface variant, 2 to 6 percent slopes	All areas are prime farmland
Mecklenburg loam, dark surface variant, 6 to 10 percent slopes	Farmland of statewide importance
Mecklenburg sandy clay loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Mecklenburg sandy clay loam, 2 to 8 percent slopes, eroded	All areas are prime farmland
Mecklenburg sandy clay loam, 6 to 10 percent slopes, eroded	Farmland of statewide importance
Meggett fine sandy loam	Farmland of statewide importance
Meggett fine sandy loam, frequently flooded	Farmland of statewide importance
Meggett loam	Farmland of statewide importance
Meggett sandy loam	Farmland of statewide importance
Mixed alluvial land, well drained	All areas are prime farmland
Mixed alluvial land, well drained (Toccoa)	All areas are prime farmland
Mocksville sandy loam, 2 to 8 percent slopes	All areas are prime farmland

Important Farmlands North Carolina

Map Unit Name	Farmland Classification
Monacan loam	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
Mooshaunee-Hallison complex, 2 to 8 percent slopes	Farmland of statewide importance
Munden loamy fine sand, 0 to 2 percent slopes	All areas are prime farmland
Munden loamy sand	Farmland of statewide importance
Munden loamy sand, 0 to 2 percent slopes	Farmland of statewide importance
Murville fine sand	Farmland of unique importance
Murville muck	Farmland of unique importance
Myatt very fine sandy loam	Prime farmland if drained
Nahunta loam	Prime farmland if drained
Nahunta silt loam	Prime farmland if drained
Nahunta silt loam, 0 to 2 percent slopes	Prime farmland if drained
Nahunta very fine sandy loam	Prime farmland if drained
Nakina fine sandy loam	Prime farmland if drained
Nanford gravelly fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance
Nanford silt loam, 8 to 15 percent slopes	Farmland of statewide importance
Nanford-Badin complex, 2 to 6 percent slopes	All areas are prime farmland
Nankin fine sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Nankin sandy loam, 2 to 10 percent slopes	All areas are prime farmland
Nankin sandy loam, 2 to 8 percent slopes, eroded	All areas are prime farmland
Nantahala loam, 2 to 8 percent slopes	All areas are prime farmland
Nason gravelly loam, 6 to 10 percent slopes	Farmland of statewide importance
Nason gravelly silt loam, 2 to 8 percent slopes	All areas are prime farmland
Nason gravelly silt loam, 8 to 15 percent slopes	Farmland of statewide importance
Nason loam, 2 to 6 percent slopes	All areas are prime farmland
Nason loam, 6 to 10 percent slopes	Farmland of statewide importance
Nason silt loam, 2 to 6 percent slopes	All areas are prime farmland
Nason silt loam, 2 to 8 percent slopes	All areas are prime farmland
Nason silt loam, 6 to 12 percent slopes	Farmland of statewide importance
Nason silt loam, 8 to 15 percent slopes	Farmland of statewide importance
Newholland mucky loamy sand, 0 to 2 percent slopes, rarely flooded	Prime farmland if drained
Nimmo sandy loam, 0 to 2 percent slopes	Prime farmland if drained
Nixonton very fine sandy loam	All areas are prime farmland
Noboco fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
Norfolk and Faceville soils, 6 to 10 percent slopes	Farmland of statewide importance
Norfolk fine sandy loam, 0 to 4 percent slopes	All areas are prime farmland
Norfolk loamy fine sand, 0 to 2 percent slopes	All areas are prime farmland
Norfolk loamy fine sand, 2 to 6 percent slopes	All areas are prime farmland
Norfolk loamy fine sand, 6 to 10 percent slopes	Farmland of statewide importance
Norfolk loamy sand, 0 to 2 percent slopes	All areas are prime farmland
Norfolk loamy sand, 1 to 4 percent slopes	All areas are prime farmland
Norfolk loamy sand, 2 to 6 percent slopes	All areas are prime farmland
Norfolk loamy sand, 2 to 6 percent slopes, eroded	All areas are prime farmland
Norfolk loamy sand, 6 to 10 percent slopes	Farmland of statewide importance
Norfolk sandy loam, 0 to 1 percent slopes	All areas are prime farmland
Norfolk sandy loam, 0 to 2 percent slopes	All areas are prime farmland
Norfolk sandy loam, 1 to 6 percent slopes	All areas are prime farmland
Norfolk sandy loam, 1 to 6 percent slopes, eroded	All areas are prime farmland
Norfolk sandy loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Norfolk sandy loam, 6 to 10 percent slopes	Farmland of statewide importance
Norfolk, Georgeville, and Faceville soils, 2 to 8 percent slopes	All areas are prime farmland

Important Farmlands
North Carolina

Map Unit Name	Farmland Classification
Norfolk-Wedowee complex, 2 to 6 percent slopes	All areas are prime farmland
Oakboro silt loam, 0 to 2 percent slopes, frequently flooded	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
Oakboro silt loam, frequently flooded	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
Onslow fine sandy loam	All areas are prime farmland
Onslow loamy fine sand	All areas are prime farmland
Onslow loamy sand	All areas are prime farmland
Orange silt loam, 0 to 3 percent slopes	Farmland of statewide importance
Orangeburg loamy sand, 0 to 2 percent slopes	All areas are prime farmland
Orangeburg loamy sand, 2 to 6 percent slopes	All areas are prime farmland
Orangeburg loamy sand, 2 to 6 percent slopes, eroded	All areas are prime farmland
Othello (Perquimans) very fine sandy loam	Prime farmland if drained
Othello (Perquimans) very fine sandy loam, deep phase	Prime farmland if drained
Othello (Tomotley) fine sandy loam	Prime farmland if drained
Othello fine sandy loam	Prime farmland if drained
Othello very fine sandy loam	Prime farmland if drained
Othello very fine sandy loam, deep phase	Prime farmland if drained
Pacolet clay loam, 10 to 15 percent slopes, eroded	Farmland of statewide importance
Pacolet clay loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Pacolet clay loam, 2 to 8 percent slopes, moderately eroded	All areas are prime farmland
Pacolet clay loam, 8 to 15 percent slopes, moderately eroded	Farmland of statewide importance
Pacolet fine sandy loam, 10 to 15 percent slopes	Farmland of statewide importance
Pacolet fine sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Pacolet fine sandy loam, 6 to 10 percent slopes	Farmland of statewide importance
Pacolet fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance
Pacolet gravelly fine sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Pacolet gravelly fine sandy loam, 6 to 10 percent slopes	Farmland of statewide importance
Pacolet gravelly sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Pacolet sandy clay loam, 2 to 8 percent slopes, eroded	All areas are prime farmland
Pacolet sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Pacolet sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Pacolet-Bethlehem complex, 2 to 8 percent slopes, eroded	Farmland of statewide importance
Pacolet-Saw complex, 2 to 8 percent slopes, eroded	Farmland of statewide importance
Pantego fine sandy loam	Prime farmland if drained
Pantego fine sandy loam, 0 to 2 percent slopes	Prime farmland if drained
Pantego loam	Prime farmland if drained
Pantego loam, occasionally flooded	Prime farmland if drained
Pantego mucky fine sandy loam	Prime farmland if drained
Pantego mucky loam	Prime farmland if drained
Pasquotank silt loam	Prime farmland if drained
Pasquotank silt loam, 0 to 2 percent slopes, rarely flooded	Prime farmland if drained
Pasquotank very fine sandy loam	Prime farmland if drained
Pasquotank very fine sandy loam loam	Prime farmland if drained
Paxville fine sandy loam	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
Paxville loam	Prime farmland if drained
Paxville mucky fine sandy loam	Prime farmland if drained
Peawick fine sandy loam, 0 to 2 percent slopes, rarely flooded	All areas are prime farmland

Important Farmlands North Carolina

Map Unit Name	Farmland Classification
Peawick fine sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Peawick fine sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Pelion loamy sand, 1 to 4 percent slopes	All areas are prime farmland
Pender fine sandy loam	All areas are prime farmland
Perquimans loam, rarely flooded	Prime farmland if drained
Perquimans silt loam	Prime farmland if drained
Perquimans silt loam, 0 to 2 percent slopes	Prime farmland if drained
Pineola gravelly loam, 2 to 8 percent slopes	All areas are prime farmland
Pittsboro-Iredell complex, 2 to 8 percent slopes, stony	All areas are prime farmland
Pocalla loamy sand, 0 to 3 percent slopes	Farmland of statewide importance
Pocalla loamy sand, 0 to 6 percent slopes	Farmland of statewide importance
Pocomoke (Arapahoe) fine sandy loam	Prime farmland if drained
Pocomoke (Arapahoe) loam	Prime farmland if drained
Pocomoke fine sandy loam	Prime farmland if drained
Pocomoke loam	Prime farmland if drained
Ponzer muck, 0 to 2 percent slopes, rarely flooded	Farmland of statewide importance
Portsmouth fine sandy loam	Prime farmland if drained
Portsmouth fine sandy loam, 0 to 2 percent slopes	Prime farmland if drained
Portsmouth fine sandy loam, sandy substratum phase	Prime farmland if drained
Portsmouth loam	Prime farmland if drained
Portsmouth loam, rarely flooded	Prime farmland if drained
Portsmouth mucky sandy loam	Prime farmland if drained
Portsmouth mucky sandy loam, 0 to 2 percent slopes, rarely flooded	Prime farmland if drained
Rains fine sandy loam	Prime farmland if drained
Rains fine sandy loam, 0 to 2 percent slopes	Prime farmland if drained
Rains sandy loam	Prime farmland if drained
Reddies fine sandy loam, 0 to 2 percent slopes, occasionally flooded	All areas are prime farmland
Reddies loam, 0 to 3 percent slopes, frequently flooded	Prime farmland if protected from flooding or not frequently flooded during the growing season
Reddies-Dellwood complex, 0 to 3 percent slopes, occasionally flooded	Prime farmland if protected from flooding or not frequently flooded during the growing season
Rion fine sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Rion fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance
Rion loamy sand, 8 to 15 percent slopes	Farmland of statewide importance
Rion sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Rion-Wateree-Wedowee complex, 8 to 15 percent slopes	Farmland of statewide importance
Rion-Wedowee complex, 2 to 8 percent slopes	All areas are prime farmland
Rion-Wedowee complex, 8 to 15 percent slopes	Farmland of statewide importance
Rion-Wedowee-Ashlar complex, 2 to 8 percent slopes	Farmland of statewide importance
Rion-Wedowee-Ashlar complex, 8 to 15 percent slopes	Farmland of statewide importance
Riverview and Toccoa soils, 0 to 4 percent slopes, occasionally flooded	All areas are prime farmland
Riverview loam, 0 to 1 percent slopes, occasionally flooded	All areas are prime farmland
Riverview loam, 0 to 2 percent slopes, frequently flooded	Prime farmland if protected from flooding or not frequently flooded during the growing season
Riverview loam, 0 to 2 percent slopes, occasionally flooded	All areas are prime farmland
Riverview silt loam, 0 to 3 percent slopes, frequently flooded	Prime farmland if protected from flooding or not frequently flooded during the growing season

Important Farmlands North Carolina

Map Unit Name	Farmland Classification
Roanoke and Wahee loams	Farmland of statewide importance
Roanoke loam, 0 to 2 percent slopes, occasionally flooded	Farmland of statewide importance
Roanoke silt loam	Farmland of statewide importance
Roper muck	Prime farmland if drained
Roper muck, 0 to 2 percent slopes	Prime farmland if drained
Roper muck, rarely flooded	Prime farmland if drained
Rosman fine sandy loam	Prime farmland if protected from flooding or not frequently flooded during the growing season
Rosman fine sandy loam, 0 to 2 percent slopes, occasionally flooded	All areas are prime farmland
Rosman loam	Prime farmland if protected from flooding or not frequently flooded during the growing season
Rosman loam, 0 to 3 percent slopes, occasionally flooded	All areas are prime farmland
Rosman sandy loam, 0 to 5 percent slopes, frequently flooded	Prime farmland if protected from flooding or not frequently flooded during the growing season
Rosman soils	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
Rumford loamy fine sand, 0 to 2 percent slopes	Farmland of statewide importance
Rumford loamy fine sand, 2 to 6 percent slopes	Farmland of statewide importance
Rumford loamy sand, 0 to 3 percent slopes	Farmland of statewide importance
Ruston loamy sand, 0 to 2 percent slopes (Orangeburg)	All areas are prime farmland
Ruston loamy sand, 2 to 6 percent slopes (Orangeburg)	All areas are prime farmland
Ruston sandy loam, 2 to 6 percent slopes, eroded (Orangeburg)	All areas are prime farmland
Sassafras (Bojac) loamy fine sand	All areas are prime farmland
Sassafras loamy fine sand	All areas are prime farmland
Saunook gravelly loam, 2 to 8 percent slopes	All areas are prime farmland
Saunook loam, 2 to 8 percent slopes	All areas are prime farmland
Saw-Pacolet complex, 2 to 8 percent slopes, eroded	Farmland of statewide importance
Saw-Pacolet complex, 8 to 15 percent slopes	Farmland of statewide importance
Sedgefield fine sandy loam, 1 to 4 percent slopes	All areas are prime farmland
Sedgefield fine sandy loam, 1 to 6 percent slopes	All areas are prime farmland
Sedgefield sandy loam, 1 to 6 percent slopes	All areas are prime farmland
Sedgefield sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Shellbluff loam, 0 to 2 percent slopes, occasionally flooded	All areas are prime farmland
Shellbluff silt loam, 0 to 2 percent slopes, frequently flooded	All areas are prime farmland
Skyuka clay loam, 2 to 8 percent slopes, eroded	All areas are prime farmland
Skyuka loam, 2 to 8 percent slopes	All areas are prime farmland
Spivey-Santeetlah complex, 8 to 15 percent slopes, stony	Farmland of statewide importance
Stallings fine sandy loam	Farmland of statewide importance
Stallings loamy fine sand	Farmland of statewide importance
Stallings loamy sand	Farmland of statewide importance
Stallings sandy loam	Farmland of statewide importance
Starr loam	All areas are prime farmland
Starr loam, 0 to 7 percent slopes	All areas are prime farmland
Starr loam, 2 to 6 percent slopes, occasionally flooded	All areas are prime farmland
State fine sandy loam	All areas are prime farmland
State fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
State fine sandy loam, 0 to 2 percent slopes, rarely flooded	All areas are prime farmland
State fine sandy loam, 0 to 3 percent slopes	All areas are prime farmland

Important Farmlands
North Carolina

Map Unit Name	Farmland Classification
State fine sandy loam, 0 to 3 percent slopes, rarely flooded	All areas are prime farmland
State fine sandy loam, 1 to 6 percent slopes, rarely flooded	All areas are prime farmland
State fine sandy loam, 2 to 6 percent slopes	All areas are prime farmland
State loam, 2 to 8 percent slopes	All areas are prime farmland
State loamy fine sand, 0 to 2 percent slopes	All areas are prime farmland
State loamy fine sand, 0 to 4 percent slopes	All areas are prime farmland
State loamy fine sand, 2 to 6 percent slopes	All areas are prime farmland
State loamy sand, 0 to 3 percent slopes	All areas are prime farmland
State loamy sand, 0 to 4 percent slopes	All areas are prime farmland
State sandy loam, 0 to 3 percent slopes	All areas are prime farmland
State sandy loam, 0 to 3 percent slopes, occasionally flooded	All areas are prime farmland
State sandy loam, 2 to 6 percent slopes	All areas are prime farmland
State silt loam, 2 to 6 percent slopes	All areas are prime farmland
Statler fine sandy loam, 1 to 5 percent slopes, rarely flooded	All areas are prime farmland
Statler loam, 0 to 6 percent slopes, rarely flooded	All areas are prime farmland
Statler loam, 1 to 5 percent slopes, rarely flooded	All areas are prime farmland
Statler loam, 2 to 8 percent slopes, rarely flooded	All areas are prime farmland
Stockade fine sandy loam	Prime farmland if drained
Stockade loamy fine sand	Prime farmland if drained
Stockade mucky loam, frequently flooded	Prime farmland if drained
Stockade mucky sandy loam, 0 to 2 percent slopes, rarely flooded	Prime farmland if drained
Stoneville loam, 2 to 8 percent slopes	All areas are prime farmland
Stono (Dragston) fine sandy loam	Prime farmland if drained
Stono (Dragston) very fine sandy loam	Prime farmland if drained
Stono fine sandy loam	Prime farmland if drained
Stono very fine sandy loam	Prime farmland if drained
Swamp	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
Sylva-Whiteside complex, 0 to 2 percent slopes	Prime farmland if drained
Sylva-Whiteside complex, 0 to 3 percent slopes	Prime farmland if drained
Sylva-Whiteside complex, 0 to 4 percent slopes	Prime farmland if drained
Tarrus gravelly silt loam, 2 to 8 percent slopes	All areas are prime farmland
Tarrus-Georgeville complex, 8 to 15 percent slopes	Farmland of statewide importance
Tate fine sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Tate fine sandy loam, 2 to 7 percent slopes	All areas are prime farmland
Tate fine sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Tate fine sandy loam, 6 to 15 percent slopes	All areas are prime farmland
Tate fine sandy loam, 7 to 15 percent slopes	Farmland of statewide importance
Tate fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance
Tate loam, 10 to 15 percent slopes	Farmland of statewide importance
Tate loam, 2 to 6 percent slopes	All areas are prime farmland
Tate loam, 2 to 8 percent slopes	All areas are prime farmland
Tate loam, 6 to 10 percent slopes	Farmland of statewide importance
Tate loam, 6 to 15 percent slopes	Farmland of statewide importance
Tate-French complex, 2 to 10 percent slopes	Farmland of statewide importance
Tatum channery silt loam, 2 to 8 percent slopes	All areas are prime farmland
Tatum channery silty clay loam, 2 to 8 percent slopes	All areas are prime farmland
Tatum channery silty clay loam, 8 to 15 percent slopes	Farmland of statewide importance
Tatum gravelly loam, 2 to 8 percent slopes	All areas are prime farmland
Tatum gravelly loam, 8 to 15 percent slopes	Farmland of statewide importance
Tatum gravelly silt loam, 8 to 15 percent slopes	Farmland of statewide importance

Important Farmlands North Carolina

Map Unit Name	Farmland Classification
Tatum gravelly silty clay loam, 2 to 8 percent slopes, eroded	All areas are prime farmland
Tatum gravelly silty clay loam, 8 to 15 percent slopes, eroded	Farmland of statewide importance
Tatum loam, 10 to 15 percent slopes	Farmland of statewide importance
Tatum loam, 2 to 6 percent slopes	All areas are prime farmland
Tatum silt loam, 2 to 8 percent slopes	All areas are prime farmland
Tatum silt loam, 8 to 15 percent slopes	Farmland of statewide importance
Tatum silty clay loam, 2 to 8 percent slopes eroded	All areas are prime farmland
Tatum silty clay loam, 8 to 15 percent slopes, eroded	Farmland of statewide importance
Tatum-Badin complex, 2 to 8 percent slopes	Farmland of statewide importance
Tatum-Badin complex, 8 to 15 percent slopes	Farmland of statewide importance
Tetotum fine sandy loam, 1 to 4 percent slopes	All areas are prime farmland
Tetotum silt loam, 0 to 3 percent slopes	All areas are prime farmland
Tetotum silt loam, 0 to 3 percent slopes, rarely flooded	All areas are prime farmland
Thurmont-Dillard complex, 2 to 8 percent slopes	All areas are prime farmland
Thurmont-dillard complex, 8 to 15 percent slopes	All areas are prime farmland
Tirzah silt loam, 2 to 6 percent slopes (Tarrus)	All areas are prime farmland
Tirzah silt loam, 2 to 6 percent slopes, eroded (Tarrus)	All areas are prime farmland
Toast coarse sandy loam, 2 to 8 percent slopes, rocky	Farmland of statewide importance
Toast sandy loam, 8 to 15 percent slopes	Farmland of statewide importance
Toccoa loam, 0 to 2 percent slopes, occasionally flooded	All areas are prime farmland
Toccoa sandy loam, 0 to 3 percent slopes, occasionally flooded	All areas are prime farmland
Tomahawk loamy fine sand	Farmland of statewide importance
Tomahawk sand	Farmland of statewide importance
Tomotley fine sandy loam	Prime farmland if drained
Tomotley fine sandy loam, 0 to 2 percent slopes	Prime farmland if drained
Tomotley fine sandy loam, rarely flooded	Prime farmland if drained
Tomotley sandy loam	Prime farmland if drained
Tomotley sandy loam, rarely flooded	Prime farmland if drained
Torhunta loam	Prime farmland if drained
Torhunta loamy fine sand	Prime farmland if drained
Torhunta mucky fine sandy loam	Prime farmland if drained
Torhunta mucky fine sandy loam, 0 to 1 percent slopes	Prime farmland if drained
Torhunta mucky sandy loam	Prime farmland if drained
Toxaway loam	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
Toxaway loam, 0 to 2 percent slopes, frequently flooded	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
Toxaway silt loam	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
Toxaway soils	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
Transylvania silt loam	Prime farmland if protected from flooding or not frequently flooded during the growing season
Trebloc loam (Grantham)	Prime farmland if drained
Tuckasegee-Whiteside complex, 2 to 8 percent slopes	All areas are prime farmland
Tuckerman fine sandy loam (Yonges)	Prime farmland if drained
Turbeville fine sandy loam, 0 to 3 percent slopes	All areas are prime farmland

Important Farmlands North Carolina

Map Unit Name	Farmland Classification
Turbeville gravelly sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Turbeville loamy sand, 0 to 2 percent slopes	All areas are prime farmland
Turbeville sandy clay loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Turbeville sandy loam, 0 to 2 percent slopes	All areas are prime farmland
Turbeville sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Tusquitee loam, 10 to 15 percent slopes	Farmland of statewide importance
Tusquitee loam, 6 to 10 percent slopes	Farmland of statewide importance
Tusquitee loam, 7 to 15 percent slopes	Farmland of statewide importance
Tusquitee loam, 8 to 15 percent slopes	Farmland of statewide importance
Tusquitee-Whiteside complex, 2 to 8 percent slopes	All areas are prime farmland
Uchee loamy coarse sand, 6 to 12 percent slopes	Farmland of statewide importance
Umbric Ochraqualfs	Prime farmland if drained
Unison loam, 2 to 8 percent slopes	All areas are prime farmland
Unison fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance
Unison loam, 2 to 8 percent slopes	All areas are prime farmland
Unison variant loam, 2 to 8 percent slopes	All areas are prime farmland
Uwharrie clay loam, 2 to 8 percent slopes, eroded	All areas are prime farmland
Uwharrie silt loam, 2 to 8 percent slopes	All areas are prime farmland
Uwharrie silty clay loam, 2 to 8 percent slopes, moderately eroded	All areas are prime farmland
Uwharrie-Badin complex, 2 to 8 percent slopes, eroded	Farmland of statewide importance
Uwharrie-Badin complex, 8 to 15 percent slopes, eroded	Farmland of statewide importance
Vance coarse sandy loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Vance coarse sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Vance coarse sandy loam, gently sloping phase	All areas are prime farmland
Vance sandy clay loam, 2 to 8 percent slopes, eroded	Farmland of statewide importance
Vance sandy clay loam, 8 to 15 percent slopes, eroded	Farmland of statewide importance
Vance sandy loam, 0 to 2 percent slopes	All areas are prime farmland
Vance sandy loam, 10 to 15 percent slopes	Farmland of statewide importance
Vance sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Vance sandy loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Vance sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Vance sandy loam, 6 to 10 percent slopes	Farmland of statewide importance
Vance sandy loam, 6 to 10 percent slopes, eroded	Farmland of statewide importance
Varina gravelly sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Varina loamy sand, 0 to 2 percent slopes	All areas are prime farmland
Varina loamy sand, 2 to 6 percent slopes	All areas are prime farmland
Varina loamy sand, 6 to 10 percent slopes	Farmland of statewide importance
Wadesboro fine sandy loam, 10 to 14 percent slopes (Mayodan)	Farmland of statewide importance
Wadesboro fine sandy loam, 2 to 7 percent slopes (Mayodan)	All areas are prime farmland
Wadesboro fine sandy loam, 2 to 7 percent slopes, eroded (Mayodan)	All areas are prime farmland
Wadesboro fine sandy loam, 7 to 10 percent slopes (Mayodan)	Farmland of statewide importance
Wadesboro fine sandy loam, 7 to 10 percent slopes, eroded (Mayodan)	Farmland of statewide importance
Wagram loamy sand, 0 to 2 percent slopes	Farmland of statewide importance
Wagram loamy sand, 0 to 6 percent slopes	Farmland of statewide importance
Wagram loamy sand, 2 to 6 percent slopes	Farmland of statewide importance
Wagram loamy sand, 6 to 10 percent slopes	Farmland of statewide importance
Wagram-Troup sands, 0 to 4 percent slopes	Farmland of statewide importance
Wahee fine sandy loam, 0 to 2 percent slopes, rarely flooded	Farmland of statewide importance
Wahee fine sandy loam, occasionally flooded	Farmland of statewide importance
Wahee loam, 0 to 2 percent slopes, occasionally flooded	Prime farmland if drained

Important Farmlands North Carolina

Map Unit Name	Farmland Classification
Wahee loam, occasionally flooded	Prime farmland if drained
Wahee silt loam, 0 to 2 percent slopes, rarely flooded	Farmland of statewide importance
Wasda muck	Prime farmland if drained
Wasda muck, 0 to 2 percent slopes	Prime farmland if drained
Wasda muck, 0 to 2 percent slopes, rarely flooded	Prime farmland if drained
Wasda muck, rarely flooded	Prime farmland if drained
Watauga loam, 6 to 10 percent slopes	Farmland of statewide importance
Watauga loam, 8 to 15 percent slopes	Farmland of statewide importance
Wedowee coarse sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Wedowee coarse sandy loam, 6 to 10 percent slopes	Farmland of statewide importance
Wedowee loam, 2 to 8 percent slopes	All areas are prime farmland
Wedowee loam, 8 to 15 percent slopes	Farmland of statewide importance
Wedowee sandy loam, 10 to 15 percent slopes	Farmland of statewide importance
Wedowee sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Wedowee sandy loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Wedowee sandy loam, 6 to 10 percent slopes	Farmland of statewide importance
Wedowee sandy loam, 6 to 15 percent slopes	Farmland of statewide importance
Weeksville silt loam	Prime farmland if drained
Weeksville silt loam, rarely flooded	Prime farmland if drained
Weston loamy sand (Woodington)	Farmland of statewide importance
White Store clay loam, 2 to 10 percent slopes, eroded	Farmland of statewide importance
White Store clay loam, 6 to 15 percent slopes, eroded	Farmland of statewide importance
White Store fine sandy loam, 2 to 8 percent slopes, moderately eroded	Farmland of statewide importance
White Store loam, 2 to 6 percent slopes	Farmland of statewide importance
White Store loam, 2 to 8 percent slopes	Farmland of statewide importance
White Store sandy loam, 2 to 6 percent slopes	Farmland of statewide importance
White Store sandy loam, 2 to 6 percent slopes, eroded	Farmland of statewide importance
White Store sandy loam, 6 to 10 percent slopes	Farmland of statewide importance
White Store sandy loam, 6 to 10 percent slopes, eroded	Farmland of statewide importance
White Store silt loam, 2 to 6 percent slopes	Farmland of statewide importance
White Store silt loam, 2 to 8 percent slopes	Farmland of statewide importance
White Store silt loam, 8 to 15 percent slopes	Farmland of statewide importance
Whiteoak fine sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Whiteside-Tuckasegee complex, 2 to 8 percent slopes	All areas are prime farmland
Whiteside-Tuskasegee complex, 2 to 8 percent slopes	All areas are prime farmland
Wickham fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
Wickham fine sandy loam, 0 to 3 percent slopes, rarely flooded	All areas are prime farmland
Wickham fine sandy loam, 0 to 6 percent slopes, rarely flooded	All areas are prime farmland
Wickham fine sandy loam, 10 to 15 percent slopes	Farmland of statewide importance
Wickham fine sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Wickham fine sandy loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Wickham fine sandy loam, 2 to 7 percent slopes, eroded	All areas are prime farmland
Wickham fine sandy loam, 2 to 7 percent slopes, eroded (Masada)	All areas are prime farmland
Wickham fine sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Wickham fine sandy loam, 6 to 10 percent slopes	Farmland of statewide importance
Wickham fine sandy loam, 6 to 10 percent slopes, eroded	Farmland of statewide importance
Wickham fine sandy loam, 6 to 15 percent slopes, rarely flooded	Farmland of statewide importance
Wickham loamy sand, 0 to 2 percent slopes	All areas are prime farmland
Wickham loamy sand, 0 to 4 percent slopes	All areas are prime farmland
Wickham loamy sand, 1 to 6 percent slopes	All areas are prime farmland
Wickham loamy sand, 2 to 6 percent slopes	All areas are prime farmland

Important Farmlands North Carolina

Map Unit Name	Farmland Classification
Wickham sandy loam, 0 to 2 percent slopes	All areas are prime farmland
Wickham sandy loam, 0 to 4 percent slopes	All areas are prime farmland
Wickham sandy loam, 0 to 6 percent slopes	All areas are prime farmland
Wickham sandy loam, 0 to 6 percent slopes, rarely flooded	All areas are prime farmland
Wickham sandy loam, 1 to 4 percent slopes	All areas are prime farmland
Wickham sandy loam, 2 to 6 percent slopes	All areas are prime farmland
Wickham sandy loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
Wickham sandy loam, 2 to 6 percent slopes, rarely flooded	All areas are prime farmland
Wickham sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Winnsboro fine sandy loam, 2 to 8 percent slopes	All areas are prime farmland
Winnsboro loam, 2 to 8 percent slopes	All areas are prime farmland
Winnsboro loam, 8 to 15 percent slopes	Farmland of statewide importance
Winton fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance
Woodington fine sandy loam	Prime farmland if drained
Woodington loamy fine sand	Farmland of statewide importance
Woodington loamy fine sand, 0 to 1 percent slopes	Farmland of statewide importance
Woodington loamy sand	Farmland of statewide importance
Woodstown fine sandy loam	All areas are prime farmland
Woolwine-Fairview complex, 2 to 8 percent slopes, moderately eroded	Farmland of statewide importance
Wrightsboro fine sandy loam, 0 to 2 percent slopes	All areas are prime farmland
Wysocking very fine sandy loam, 0 to 3 percent slopes, rarely flooded	Prime farmland if drained
Yeopim loam, 0 to 2 percent slopes	All areas are prime farmland
Yeopim loam, 2 to 6 percent slopes	All areas are prime farmland
Yeopim silt loam, 0 to 2 percent slopes	All areas are prime farmland
Yeopim silt loam, 0 to 3 percent slopes, rarely flooded	All areas are prime farmland
Yonges loam, 0 to 2 percent slopes, rarely flooded	Prime farmland if drained
Zion gravelly loam, 2 to 8 percent slopes	Farmland of statewide importance
Zion-Enon complex, 2 to 8 percent slopes	Farmland of statewide importance
Zion-Enon complex, 8 to 15 percent slopes	Farmland of statewide importance
Zion-Winnsboro-Mocksville complex, 8 to 15 percent slopes	Farmland of statewide importance